

WASHINGTON SUBURBAN SANITARY COMMISSION SANITARY SEWER OVERFLOW WRITTEN REPORT

3344936-118-2024

MDE OFFICIAL CONTACTED: EVELYN STRAVOU

DATA CALLED IN BY: MARVIN BAILEY DATE: 04/04/2024 AT 04:25PM

WORK ORDER(S): 3344936 3344912

EST DATE AND TIME SSO BEGAN: 04/04/2024 11:08AM DURATION: 1.87 HRS DATE AND TIME SSO ENDED: 04/04/2024 01:00PM

SOURCE-OVERFLOWING MH MH06016097 WATER BODY AFFECTED-SLIGO CREEK

- CLOSEST STREET ADDRESS:7212CEDAR AVE20912COUNTY/PAGE/GRID:M 5408 H04TOWN/CITY:TAKOMA PARK
- CAUSE: ROOTS EST OVERFLOW VOLUME: 561 GAL UPON ARRIVAL, THE CREW FOUND MANHOLE 097M OVERFLOWING APPROXIMATELY 5GPM, ONTO THE GRASSY AREA AROUND THE MANHOLE, AND INTO A NEARBY STORM DRAIN THAT OUTFALLS IN SLIGO CREEK. THE CREW JETTED FROM MANHOLE 095M TO 097U A TOTAL OF 315', AND HIT AND RELIEVED A HEAVY ROOT BLOCKAGE AT 306', TO END THE EVENT.
- IMPACTS UPON PUBLIC HEALTH AND STATE WATERS: WET WEATHER PUBLIC ACCESS
- STEPS TAKEN OR PLANNED TO REDUCE, ELIMINATE AND PREVENT RECURRENCE: THE PROBLEM WITH THIS SEWER LINE HAS BEEN REFERRED TO LINE BLOCKAGE ANALYSIS (LBA) FOR REVIEW. A FOLLOW-UP INVESTIGATION WILL BE CONDUC-TED TO DETERMINE WHAT MEASURES SHOULD BE TAKEN TO REDUCE OR ELIMINATE THE CHANCE OF THIS LINE OVERFLOWING AGAIN.

MEASURES INITIATED/TAKEN TO MINIMIZE IMPACT: LIME

THE CREW SPREAD LIME IN THE GRASSY AREA AROUND THE MANHOLE.

NOTIFICATIONS MADE: MD DEPARTMENT OF ENVIRONMENT DEF MONTGOMERY CO MUNICIPALITIES

DEP-MONTGOMERY COUNTY

SIGNS POSTED: 3 POST DATE: 04/04/2024